


20" RETRACTABLE NOZZLE VACUUM SEALER

Model: AVS-20



Most Popular Best Seller

- 100% Maintenance Free Venture Vacuum Pumps
- Intuitive Design
- Extensive Safety Features
- Rust-Treated and Powder-Coated Steel Chassis
- Clean-Room Compatible
- Two Year Warranty
- 1 Week Trial Period

**MADE
IN THE USA**



More Details:

Offered in our most popular 20" seal length, the AVS combines the same quality and design integrity exhibited in the AVN without the gas flush feature. The AVS is the choice sealer for the widest range of our clientele, from medical and electronics device manufacturer, to food industry retailers, to pharmaceutical and aerospace corporations.

Options:


- Gas Flush (Model: AVN-20)
(Flush your package with nitrogen to ensure your package is oxygen-free.)
- Bi-Active Seal (top and bottom heating)
- Stainless Steel Upgrade
- CE Certification
- Vacuum Filter
- Vacuum Regulator
- 220V
- Dual Nozzle
- Digital Temperature Control
- Working Tray – 20" x 12"

Features:

Seal Length:	20"
Seal Width:	1/4"
Vacuum Flow:	6CFM
Max. Vacuum Pressure	27 inHg
Air Requirements:	6CFM@100PSI
Amps@120 Volts A.C.:	7
Unit Size:	28" L x 10"W x 7"H
Weight:	Net 32-lbs / Gross: 40-lbs

RETRACTABLE NOZZLE VACUUM SEALER W/ GAS FLUSH

Model: AVN-SERIES



Standard Feature: Gas Flush

- 100% Maintenance Free Venture Vacuum Pumps
- Intuitive Design
- Extensive Safety Features
- Rust-Treated and Powder-Coated Steel Chassis
- Clean-Room Compatible
- Two Year Warranty
- 1 Week Trial Period

**MADE
IN THE USA**



Foot-pedal activated gas-flush vacuum packaging at its finest. The AVN's 1/4" wide sealing element delivers a leak-proof seal from sensitive electronics to sterile medical devices, food to biotech applications, aerospace technology to scientific devices.

With one touch of the pedal, the AVN flushes out oxygen and moisture using an inert gas of your choice. Then, the automated stainless steel nozzle retracts, and your products are sealed in seconds. Combine the AVN's precise automation with speed and extensive safety features, a faulty seal is no longer possible.

Clean-room compatible, the AVN is ideal for electronics, medical, and pharmaceutical applications. Providing additional functionality and convenience, the AVN's gas-flush feature can be

switched off as well as the vacuum feature, or both can be switched off for sealing only with impulse-heat.

The AVN is hand-assembled at our facility using only superior grade components. The AVN is also featured in five seal-lengths (20", 25", 30", 35" and 50") and can be configured to meet CE certification requirements.

Options:

- Bi-Active Seal (top and bottom heating)
- Stainless Steel Upgrade
- CE Certification
- Vacuum Filter
- Vacuum Regulator
- 220V
- Dual Nozzle – standard for AVN-50
- Digital Temperature Control
- Working Tray – 20" x 12"

Features:

	AVN-20	AVN-25	AVN-30	AVN-35	AVN-50
Seal Length:	20"	25"	30"	35"	50"
Seal Width:	1/4"				
Vacuum Flow:	6CFM				
Max. Vacuum Pressure:	27 inHg				
Air Requirements:	6CFM@100PSI				
Amps@120 Volts A.C.:	7	8	12	15	15
Unit Size (L x W x H) (in):	25 x 10 x 7	33 x 10 x 7	38 x 10 x 7	43 x 10 x 7	64 x 10 x 7
Weight (Net / Gross) (lb):	33 / 40	40 / 45	54 / 60	59 / 70	86 / 106

NOZZLE VACUUM SEALER W/ SELF-CONTAINED COMPRESSOR

Model: CAVS-SERIES



No Need for an External Compressor

- 100% Maintenance Free Venture Vacuum Pumps
- Intuitive Design
- Extensive Safety Features
- Rust-Treated and Powder-Coated Steel Chassis
- Clean-Room Compatible
- Two Year Warranty
- 1 Week Trial Period

**MADE
IN THE USA**



Expanding the abilities of the AVS model, the CAVS eliminates the need for additional equipment.

Completely self-contained, the CAVS is ready to perform out of the box, while reducing equipment requirements and providing greater flexibility of placement locations within your facility. We've simplified our design with high quality components. All that is needed to operate the CAVS is a press of a pedal and in a manner of seconds you have a tight, reliable vacuum package.

From our innovatively simple nozzle system to our state-of-the-art safety features, CAVS continues the tradition of manufacturing efficient, dependable, easy to use vacuum sealers.

The CAVS Series Self Contained Retractable Nozzle Vacuum Sealers come with our exclusive high flow, stainless steel retractable nozzle that will help avoid operator bag manipulation during the vacuum cycle.

With our clean, quiet built-in air compressor/vacuum pump, you will be assured reliable vacuum seals for years to come. As with all our machines, setting up is quick and easy using only a standard electrical outlet.

The CAV Series Vacuum Sealers are hand-assembled at our facility using only superior grade components. Available in 20" and 30" and can be custom configured to meet CE Certification requirements.

Options:

- Bi-Active Seal (top and bottom heating)
- Stainless Steel Upgrade
- CE Certification
- Vacuum Filter
- Vacuum Regulator
- 220V
- Digital Temperature Control
- Working Tray – 20" x 12"

Features:

	CAVS-20	CAVS-30
Seal Length:	20"	30"
Seal Width:	1/4"	
Vacuum Flow:	3CFM	
Max. Vacuum Pressure:	27 inHg	
Air Requirements:	--	
Amps@120 Volts A.C.:	10	15
Unit Size (L x W x H) (in):	28 x 10 x 12	38 x 10 x 12
Weight (Net / Gross) (lb):	55 / 66	73 / 84

NOZZLE VACUUM SEALER W/ GAS FLUSH & SELF-CONTAINED

Model: CAVN-SERIES



Plug-N-Play Unit – Ready to Go!

- 100% Maintenance Free Venture Vacuum Pumps
- Intuitive Design
- Extensive Safety Features
- Rust-Treated and Powder-Coated Steel Chassis
- Clean-Room Compatible
- Two Year Warranty
- 1 Week Trial Period

**MADE
IN THE USA**



Expanding the abilities of the AVN model, the CAVN eliminates the need for additional equipment. Completely self-contained, the CAVN is ready to perform out of the box, providing greater flexibility for placement locations within your facility. We've simplified our design with the same high quality components that are the best in the industry. All that is needed to operate the CAVN is a press of the foot pedal and in seconds you have a gas-flushed and tight vacuum package.

From our innovatively simple nozzle system to our state-of-the-art safety features, this unit continues its tradition of manufacturing efficient, dependable, easy to use Vacuum Sealers.

The CAV Series Self Contained Retractable Nozzle Vacuum Sealers come with our exclusive high flow, stainless steel retractable nozzle that will help avoid operator bag manipulation during the vacuum cycle.

With our clean, quiet built-in air compressor/vacuum pump, you will be assured reliable vacuum seals for years to come. As with all our machines, setting up is quick and easy using only a standard electrical outlet. The CAV Series Vacuum Sealers are hand-assembled at our facility using only superior grade components. Available in 20" and 30" and can be custom configured to meet CE Certification requirements.

Options:

- Bi-Active Seal (top and bottom heating)
- Stainless Steel Upgrade
- CE Certification
- Vacuum Filter
- Vacuum Regulator
- 220V
- Digital Temperature Control
- Working Tray – 20" x 12"

Features:

	CAVN-20	CAVN-30
Seal Length:	20"	30"
Seal Width:	1/4"	
Vacuum Flow:	3CFM	
Max. Vacuum Pressure:	27 inHg	
Air Requirements:	--	
Amps@120 Volts A.C.:	10	15
Unit Size (L x W x H) (in):	28 x 10 x 12	38 x 10 x 12
Weight (Net / Gross) (lb):	55 / 66	73 / 84